




DRAFT- Deliberative- Not for Distribution

I. (b) (5) ACP, (b) (5) DPP



Deleted: 6

(b) (5) ACP, (b) (5) DPP




D. (b) (5) ACP, (b) (5) DPP

**Deleted:** (b) (5) ACP


**Commented [MA1]:** (b) (5) ACP, (b) (5) PPP

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]


(b) (5) ACP, (b) (5) DPP





(b) (5) ACP, (b) (5) DPP




C. (b) (5) ACP, (b) (5) DPP





(b) (5) ACP, (b) (5) DPP



(b) (5) ACP, (b) (5) DPP



(b) (5) ACP, (b) (5) DPP




10

(b) (5) ACP, (b) (5) DPP


- A horizontal bar chart illustrating the distribution of 100 samples across 10 different categories. The categories are represented by the x-axis, and the y-axis shows the frequency or count of samples for each category. The bars are black, and the chart is set against a white background with no grid lines.

Category	Count
1	10
2	10
3	10
4	10
5	10
6	10
7	10
8	10
9	10
10	10
11	10
12	10
13	10
14	10
15	10
16	10
17	10
18	10
19	10
20	10
21	10
22	10
23	10
24	10
25	10
26	10
27	10
28	10
29	10
30	10
31	10
32	10
33	10
34	10
35	10
36	10
37	10
38	10
39	10
40	10
41	10
42	10
43	10
44	10
45	10
46	10
47	10
48	10
49	10
50	10
51	10
52	10
53	10
54	10
55	10
56	10
57	10
58	10
59	10
60	10
61	10
62	10
63	10
64	10
65	10
66	10
67	10
68	10
69	10
70	10
71	10
72	10
73	10
74	10
75	10
76	10
77	10
78	10
79	10
80	10
81	10
82	10
83	10
84	10
85	10
86	10
87	10
88	10
89	10
90	10
91	10
92	10
93	10
94	10
95	10
96	10
97	10
98	10
99	10
100	10

• (b) (5) ACP, (b) (5) DPP





(b) (5) ACP, (b) (5) DPP






(b) (5) ACP, (b) (5) DPP



(b) (5) ACP, (b) (5) DPP



(b) (5) ACP, (b) (5) DPP



